

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.



Please read the Package Leaflet, Patient Guide and Patient Card for further information. This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.



WARNING FOR WOMEN AND GIRLS

Please read the Package Leaflet, Patient Guide and Patient Card for further information. This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an

contraception during your treatment

unborn baby. Always use effective

If you are thinking about becoming

pregnant, or if you are pregnant,

Do not stop taking this medicine

unless your doctor tells you to.

contact your doctor urgently.

with Epilim.



WARNING FOR WOMEN AND GIRLS

Please read the Package Leaflet, Patient Guide and Patient Card for further information.



WARNING FOR WOMEN

AND GIRLS

Please read the Package Leaflet, Patient Guide

and Patient Card for further information

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim. If you are thinking about becoming

pregnant, or if you are pregnant, contact your doctor urgently. Do not stop taking this medicine unless your doctor tells you to.



WARNING FOR WOMEN

AND GIRLS

Please read the Package Leaflet, Patient Guide and Patient Card for further information.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.



WARNING FOR WOMEN AND GIRLS Please read the Package Leaflet, Patient Guide and Patient Card for further information. This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

WARNING FOR WOMEN AND GIRLS Please read the Package Leaflet, Patient Guide and Patient Card tor further information.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.



WARNING FOR WOMEN

AND GIRLS

WARNING FOR WOMEN AND GIRLS

Please read the Package Leaflet, Patient Guide and Patient Card for further information.



WARNING FOR WOMEN AND GIRLS Please read the Package Leaflet, Patient Guide and Patient Card for further information.



WARNING FOR WOMEN AND GIRLS Please read the Package Leaflet, Patient Guide and Patient Card for further information.



WARNING FOR WOMEN AND GIRLS

Please read the Package Leaflet, Patient Guide and Patient Card for further information.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.